

TEST 214 serial number: 01

cotton twill fabric, bleached, without optical brightener

generally:

according:	Swissatest unsoiled test fabrics
suitable:	base material, load, and so on
date of production:	Feb 2001
durability:	unlimited
storing conditions:	must be well packed and kept dark

specification of base material:

article 214	cotton twill 2/1, bleached, without opt. brightener
thread count in cm	warp: 44 weft: 22
yarn count in Nm	warp: XX weft: XX
weight in g/m²	195.0
width in cm	152.0
Y-value	89.8
Rem460nm	87.3

measuring conditions:

instrument	DC800V (spectrophotometer)
illuminant / observer	D65 / 10°
measuring geometry	d/8°
wavelength range	420 to 750nm
filter	UV barrier at 420nm
measuring diameter	26 mm
gloss	excluded